# **Timing Belt** 579637 (8942-00)



LabVolt Series

Datasheet



# **Table of Contents**

General Description	_ 3
Specifications	_ 3

© Festo Didactic 2

## **General Description**

The Timing Belt is a high-quality industrial synchro-cog timing belt made of rubber whose teeth exactly mesh with the geared pulley fitted on the shaft of all 0.2 kW EMS machines. The Timing Belt is supplied in a fixed length appropriate for coupling two adjacent EMS machines together without slippage between them.

# **Specifications**

Parameter	Value
Physical Characteristics	
Pitch	9.5 mm (0.375 in)
Pitch Length	819 mm (32.25 in)
Number of Teeth	86
Dimensions (Width)	12.7 mm (0.5 in)
Net Weight	0.1 kg (0.2 lb)

© Festo Didactic

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2024. All rights reserved.

#### Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

## Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

## Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

### www.labvolt.com

www.festo-didactic.com

© Festo Didactic 4