Automatic Air Vent 579810 (46511-00)



LabVolt Series

Datasheet



* The product images shown in this document are for illustration purposes; actual products may vary. Please refer to the Specifications section of each product/item for all details. Festo Didactic reserves the right to change product images and specifications at any time without notice.

Festo Didactic en 11/2024

Table of Contents

General Description	3	ì
Specifications		,

General Description

The automatic air vent (float type with valve) is an automatically-operated valve that allows trapped air to bleed from a liquid-based system. It helps to ensure that other system components operate efficiently and do not overheat. The manually-adjusted valve on top of the air vent can be closed so that no air can enter or escape.

Specifications

Parameter	Value
Air Vent	
Туре	Automatic float with valve
Inlet and Outlet Diameter	1.3 cm (0.5 in)
Pressure Rating	10.34 bar (150 psig)
Physical Characteristics	
Dimensions (H x W x D)	11 x 12.3 x 9.8 cm (4.33 x 4.84 x 3.86 in)
Net Weight	0.434 kg (0.96 lb)

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2024. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com