Battery Bank 580047 (65917-00)



LabVolt Series

Datasheet



* The product images shown in this document are for illustration purposes; actual products may vary. Please refer to the Specifications section of each product/item for all details. Festo Didactic reserves the right to change product images and specifications at any time without notice.

Festo Didactic en 11/2024

Table of Contents

General Description	3	ì
Specifications		,

General Description

The Battery Bank consists of a 12 V dc, 110 A·h, deep-cycle, sealed, lead-acid, absorptive glass mat (AGM) storage battery designed to store electrical energy produced from renewable energy sources such as solar power and wind power.

Specifications

Parameter	Value
Battery	
Туре	Sealed, lead-acid, absorptive glass mat (AGM) storage battery
Rating	12 V dc, 110 A·h
Physical Characteristics	
Dimensions (H x W x D)	27 x 24 x 43 cm (10.6 x 9.5 x 16.9 in)
Net Weight	32.25 kg (71.10 lb)

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2024. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com