32-Bit Microprocessor FACET Board 581069 (91017-20)



LabVolt Series

Datasheet



^{*} The product images shown in this document are for illustration purposes; actual products may vary. Please refer to the Specifications section of each product/item for all details. Festo Didactic reserves the right to change product images and specifications at any time without notice.

Table of Contents

General Description	3
Topic Coverage	3
Features & Benefits	3

© Festo Didactic 2

General Description

The 32-Bit Microprocessor module builds on the student's knowledge of digital circuitry gained in Digital Logic Fundamentals, Model 91014, and Digital Circuit Fundamentals 1 and 2, Models 91015 and 91016. The 80386DX CPU can be used as a stand-alone unit or in conjunction with the FACET base unit to demonstrate microprocessor, memory, and I/O concepts, and communication with analog systems via A-to-D and D-to-A converters.

A keypad and a 2-line x 16-character alphanumeric LCD display allow direct interaction with the CPU. All address, data, and control signals are connected to headers for easy access and expansion to off-board circuits. Additional hardware features include 32-kbyte static RAM, 16-kbyte ROM with monitor, RS-232 serial port, 8-bit parallel port, and LED indicators for address and data buses.

An on-board logic probe, single bus cycle execution mode, and the practical, hands-on approach of the courseware guide students in the analysis and troubleshooting of 32-bit microprocessor systems. The circuit board may be used in the FACET base unit or as a stand-alone trainer.

- When used in the FACET base unit, the course can be performed through the interactive Learning Management System (LMS) format.
- When used as a stand-alone trainer, the course is performed in a conventional way by using the provided student manual and instructor guide. In that case, a power pack (provided with the stand-alone trainer) must be used to supply power to the circuit board if it is used without a base unit.

Topic Coverage

- Introduction to the Circuit Board and its Operation
- Bus States, 32-Bit Bus Transfers
- Read and Write Cycles
- CPU Initialization
- Memory Control Signals, Address Decoding, Data Transfers
- Ports: DAC and ADC Ports, PPI and Keypad Interface, Display and Serial Ports
- Non-maskable and Maskable Interrupts, Exceptions
- Immediate, Register and Memory Addressing Modes
- Instruction Formats and Using the 80386 CPU Instructions
- Troubleshooting Basics and 32-Bit Microprocessor Troubleshooting
- Application Board Familiarization (Requires the Optional Microprocessor Application Board, Model 91602)
- DC Motor Control (Requires the Optional Microprocessor Application Board, Model 91602)
- Temperature Control (Requires the Optional Microprocessor Application Board, Model 91602)

Features & Benefits

- 16 KB monitor ROM/User ROM
- Serial data port (RS-232)
- Parallel data port (8-bit)
- Single-bus cycle control
- Single-instruction cycle control
- On-board applications interface
- On-board logic probe for signal tracing
- Optional microprocessor application board to demonstrate practical microprocessor-based temperature/motor control

3 © Festo Didactic

- Interrupt controller
- ADC/DAC

© Festo Didactic 4

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2024. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com