Analog/Digital Output Interface 581693 (9467-00)



LabVolt Series

Datasheet



Table of Contents

General Description	_ 3
Specifications	_ 3

© Festo Didactic 2

General Description

The Analog/Digital Output Interface is a compact module designed to be installed into one of the slots of the Reconfigurable Training Module (RTM). This module provides output connectors for analog and digital signals generated by the RTM. It has four output BNC connectors for analog signals and four for digital signals. These outputs are protected from misconnections within the system. Test points on the module front panel facilitate observing the signals using a conventional oscilloscope. DC power is automatically supplied to the Analog/Digital Output Interface when it is installed into the RTM.

Specifications

Parameter	Value
Analog Outputs (4)	
Voltage Range	-10 to +10 V
Impedance	600 Ω
Digital Outputs (4)	
Туре	TTL
Test Points	
Quantity	8
Physical Characteristics	
Dimensions (H x W x D)	114 x 110 x 209 mm (4.5 x 4.3 x 8.2 in)
Net Weight	0.6 kg (1.4 lb)

3 © Festo Didactic

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2024. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com

© Festo Didactic 4