Three-Phase Contactors

586826 (8848-00)



LabVolt Series

Datasheet




Table of Contents

General Description	
Jeneral Describlion	

© Festo Didactic 2

General Description

The Three-Phase Contactors, Model 8848, contains two independent contactor to switch resistive or non-resistive loads on a three-phase network. Contactor coils can be actuated using AC line voltage or low DC voltage using an included solid-state relay (one for each contactor). AC connections are made using 4 mm safety sockets and DC connections are made using 2 mm miniature jacks.

3 © Festo Didactic

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2025. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com

© Festo Didactic 4