Pneumatic Control Valve (with Positioner, Fisher 3660) 588358 (46950-A0)



LabVolt Series

Datasheet



* The product images shown in this document are for illustration purposes; actual products may vary. Please refer to the Specifications section of each product/item for all details. Festo Didactic reserves the right to change product images and specifications at any time without notice.

Festo Didactic 11/2024

Table of Contents

General Description	3
Manual	3
Table of Contents of the Manual(s)	3
Specifications	3

© Festo Didactic 2

General Description

The Pneumatic Control Valve (with Positioner) is an industrial bronze control globe valve designed for pressure, flow, level, and temperature control applications. This reliable valve features a durable construction, tight shutoff, and good control characteristics. The valve is of the equal percentage type and is normally open.

This model includes a current-to-pressure converter which transforms a 4-20 mA input signal into a pneumatic output signal sent to the actuator of the control valve. The control valve also features a rugged pneumatic positioner (Fisher 3660) to provide a valve position proportional to the pneumatic signal.

Manual

Description	Manual	
Description	number	
Control Valves (User Guide)	585145 (86001-E0)	

Table of Contents of the Manual(s)

Control Valves (User Guide) (585145 (86001-E0))

- 1 Basic Control Valve Theory
- 2 Basic Control Valve (46950-B)
- 3 Pneumatic Control Valve with a Positioner (46950-A)
- 4 Control Valve with DVC2000 (46950-0)
- 5 Control Valve with DVC6000 HART/FF (46950-E/-D)
- 6 Control Valve with DVC6200 HART/FF (46950-E/-D)
- 7 Electric Control Valve (46950-C)

Specifications

Parameter	Value	
Input Signal	4-20 mA	
Actuator Pressure Range	20-90 kPa (3-13 psi)	
Type of valve	Globe, equal percentage, normally open	
Type of positioner	Fisher 3660 mechanical positioner	

3 © Festo Didactic

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2024. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com

© Festo Didactic 4