Distributed I/O Module (HART) 589674 (46976-00)



LabVolt Series

Datasheet



Table of Contents

© Festo Didactic 2

General Description

The Distributed I/O Module (ET 200M) consists of an interface module from Siemens and permits to connect analog I/O's using HART communication protocol to a Siemens PLC through PROFINET communication. This I/O module features eight 4-20 mA HART analog inputs and eight 4-20 mA HART analog outputs.

All the I/O'S can be hardwired to both banana jacks and terminal blocks on the module front panel. Banana jacks provide an easy and fast way to wire a setup, while terminal blocks allow students to wire their setup in a way much closer to what is commonly found in the industry.

This module has six switches that the instructor can use to insert faults.

© Festo Didactic

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2024. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com

© Festo Didactic 4