
Universal Motor 764349 (8254-0X)





Datasheet



Festo Didactic en 04/2025

* The product images shown in this document are for illustration purposes; actual products may vary. Please refer to the Specifications section of each product/item for all details. Festo Didactic reserves the right to change product images and specifications at any time without notice.

Table of Contents

General Description______ 3

General Description

The Universal Motor is a 0.2 kW universal machine mounted in a full-size EMS module. Its commutator bars and adjustable brushes are exposed to allow students to study the effect of armature reactions and commutation while the machine is running under load. The armature winding, the series field winding, and the compensation winding are terminated independently on the module front panel by 4 mm color-coded banana jacks. Students can observe the effects of both inductive and conductive compensation on motor speed and torque for both ac and dc input voltage sources.

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2025. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com